

# VSM accessories

## VSM accessories for abrasives simplify operations and increase efficiency

- > The tear-off mechanism of roll holders reduces consumption.
- > VSM back-up pads in various shapes and models guarantee safe support, stability and cool handling.



## Magazines and holders



### Roll magazine

The VSM magazine which holds a supply of up to five rolls for proper storage at the workplace. It makes it possible to use just what is needed thanks to a tear-off mechanism. Designed for rolls with a maximum width of 50 mm.

Art. No.	Designation	Type	PU	Sales Unit
799521	Z5R	L	1	1



### Roll holder

VSM roll holder for proper storage of one roll at the workplace. Designed for rolls with a maximum width of 50 mm.

Art. No.	Designation	Type	PU	Sales Unit
718874	Z1R	L	1	1



### Fibre disc holder

For the proper storage of fibre discs of up to  $\varnothing$  235 mm, with centre hole  $\varnothing$  22 mm. To be kept at the workplace. Firmly clamped to prevent distortions.

Art. No.	Designation	$\varnothing$ (mm)	Type	PU	Sales Unit
752690	ZFI	180	L	1	1

## Hand sanding block



### VSM Vitexo hand sanding block, double-sided use

The VSM hand sanding block features an ergonomic shape and is highly flexible. VSM velour-backed pads may be used on either side. The hand sanding block is a multipurpose tool. Pads for the hand sanding block can be found on page 137.

Art. No.	Designation	Width (mm)	Length (mm)	Type	PU	Sales Unit
731027	ZKL	67	140	L	16	16

**L = Stock items:** Delivery time 48 hours. Version 11/23. Subject to change.

# Back-up pads for fibre discs



## Back-up pad, medium-hard

Backing pad for smooth transitions from the grinding zone to the surrounding area. Very easy handling. Suitable for medium- to heavy-duty use.

Art. No.	Designation	ø (mm)	Thread	Type	PU	Sales Unit
790893	ZFI	115	M14	L	10	10
790894	ZFI	125	M14	L	10	10
790895	ZFI	150	M14	L	10	10
790896	ZFI	180	M14	L	10	10



## TURBO PAD 1 – Back-up pad, hard, with cooling fins

Cooling fins and holes in the pad reduce the amount of heat generated during grinding. Cooler grinding extends the service life of the abrasive. For heavy-duty use. Allows very good control of the angle grinder on the workpiece.

Art. No.	Designation	ø (mm)	Thread	Type	PU	Sales Unit
731302	ZFT1	115	M14	L	10	10
731303	ZFT1	125	M14	L	10	10
783387	ZFT1	150	M14	L	10	10
731306	ZFT1	180	M14	L	10	10



## TURBO PAD 2 – Back-up pad, hard, with cooling fins, cambered

The cooling fins reduce the amount of heat generated during grinding. Cooler grinding extends the service life of the abrasive. The cambering improves stock removal and reduces the amount of vibration. For heavy-duty use and for processing flat and slightly contoured workpieces.

Art. No.	Designation	ø (mm)	Thread	Type	PU	Sales Unit
767210	ZFT2	115	M14	L	10	10
767271	ZFT2	125	M14	L	10	10
767271	ZFT2	180	M14	L	10	10
758852	ZFT2	125	XLOCK	L	1	1



## TURBO PAD 3 – Back-up pad, extra hard, with cooling fins, cambered

The cooling fins reduce the amount of heat generated during grinding. Cooler grinding extends the service life of the abrasive. Ensures a significant increase in performance and maximised stock removal, especially with AF890. Enables selective grinding with a clearly defined grinding zone. Recommended for flat workpieces and very heavy-duty applications.

Art. No.	Designation	ø (mm)	Thread	Type	PU	Sales Unit
776385	ZFT3	115	M14	L	10	10
776386	ZFT3	125	M14	L	10	10
776387	ZFT3	180	M14	L	10	10
788462	ZFT3	115	5/8UN	L	10	10
788469	ZFT3	125	5/8UN	L	10	10
788498	ZFT3	180	5/8UN	L	10	10

**L = Stock items:** Delivery time 48 hours. Version 11/23. Subject to change.

# Back-up pads for paper and cloth discs



## Back-up pads for velour-backed discs, hard

Hard velour-backed back-up pad for use on medium and high speed angle grinders.

Art. No.	Designation	ø (mm)	Thread	Type	PU	Sales Unit
731018	ZKL	115	M14	L	10	10
731020	ZKL	125	M14	L	10	10
731021	ZKL	150	M14	L	10	10



## Back-up pad for velour-backed discs, soft, with cellular rubber

Velour-backed back-up pad with a 12 mm cellular rubber layer. For use on low and medium speed angle grinders.

Art. No.	Designation	ø (mm)	Thread	Type	PU	Sales Unit
761661	ZKLF	115	M14	L	10	10
783366	ZKLF	125	M14	L	10	10



## Back-up pad for non-woven discs

Special back-up pad for non-woven discs KV707K (page 119) and KV710X (page 120). For use on low and medium speed angle grinders.

Art. No.	Designation	ø (mm)	Thread	Type	PU	Sales Unit
731023	ZVL	115	M14	L	10	10
731024	ZVL	125	M14	L	10	10



## Back-up pad for non-woven discs, with centering collar

Special back-up pad for non-woven discs KV707K (page 119) and KV710X (page 120), ø 125 mm with center hole ø 22 mm (page 119). For use on low and medium speed angle grinders.

Art. No.	Designation	ø (mm)	ø centering collar (mm)	Thread	Type	PU	Sales Unit
795272	ZVLZ	125	22	M14	L	10	10

**L = Stock items:** Delivery time 48 hours. Version 11/23. Subject to change.